

Index of Authors

with the titles of papers

- ALLNATT, A. R., *see* Dham, A. K.
 AMAR, J. G.: Application of the Gibbs ensemble to the study of fluid-fluid phase equilibrium in a binary mixture of symmetric non-additive hard spheres, 739
 ASHIDA, J., *see* Nakai, T.
 ATTARD, G. S., *see* Jones, P.
 AZIZ, R. A., *see* Dham, A. K.

 BACHEM, E., *see* Lipus, K.
 BARENDSSWAARD, W., VAN TOL, J., WEBER, R. T., and VAN DER WAALS, J. H.: The luminescent triplet state of the $\text{Ba}_3(\text{VO}_4)_2$ crystal. I. Determination of the spin hamiltonian by E.P.R. at 1.2 K, 651
 BARNICKEL, P., and WOKAUN, A.: Silver coated latex spheres. Optical absorption spectra and surface enhanced Raman scattering, 1355
 BARREAU, A., CHAVE, A., DUMON, B., THIBEAU, M., and LADANYI, B.: Effects of intermolecular interactions on depolarized Rayleigh scattering intensities of fluids of linear molecules. A computer simulation study, 1241
 BARROW, R. F., *see* Bernard, A.
 BARTELL, L. S., and POWELL, B. M.: Proposed model for disorder in the warmest crystalline phase of C_6F_8 , 861
 BASTIAAN, E. W., HUIS, L., and MACLEAN, C.: Study of angular correlation by N.M.R. of magnetically aligned molecules, 615
 BEATTIE, I. R., *see* Burghardt, I.
 BELL, A. J., PARDON, P. R., and FREY, J. G.: Raman spectra of NOCl and Cl_2 . Photodissociation dynamics, 465
 BELTON, P. S., *see* Hills, B. P.
 BENCIVENNI, L., *see* Ramondo, F. R.
 BERNARD, A., EFFANTIN, C., D'INCAN, J., FABRE, G., STRINGAT, R., and BARROW, R. F.: The 5d states of barium hydride; BaH and BaD , 1
 BITTNER, D. N., *see* Willey, D. R.
 BODDENBERG, B., and NEUE, G.: An N.M.R. study of an *n*-butane film on graphite. I. ^2H relaxation of the 2D fluid state, 385
 BOGEY, M., DAVIES, P. B., DEMUYNCK, C., DESTOMBES, J. L., and SEARS, T. J.: The microwave spectrum of the FO_2 radical, 1033
 BOUBLIK, T.: The gaussian overlap model again, 1327
 BRAUN, D., GALLHUBER, E., HENSLER, G., and YERSIN, H.: Site selective spectra of the lowest excited states of $[\text{Os}(\text{bpy})_3]^{2+}$ in $[\text{Ru}_{1-x}\text{Os}_x(\text{bpy})_3]\text{X}_2$ ($\text{X} = \text{PF}_6, \text{AsF}_6, \text{SbF}_6$), 417
 BRÓDKA, A., *see* Nikiel, L.
 BROWN, J., *see* Burghardt, I.
 BUCKINGHAM, A. D., *see* Fowler, P. W.
 BUCKNALL, R. E., CLARKE, S. M., SHAPTON, R. A., and THOMAS, R. K.: The structure of a methyl iodide monolayer adsorbed on graphite, 439
 BURGHARDT, I., ZINK, L. R., FLETCHER, D. A., BROWN, J., and BEATTIE, I. R.: Nuclear hyperfine structure in the electronic spectrum of CuCl , 1401
 BURNELL, E. E., *see* Delikatny, E. J.
 BUONTEMPO, U., FILABOZZI, A., and MASELLI, P.: Collision induced fundamental band of N_2 and $\text{N}_2\text{-Ar}$ mixtures, 517

 CAMY-PEYRET, C., FLAUD, J.-M., N'GOM, A., and JOHNS, J. W. C.: The ν_2 band of $\text{HD } ^{32}\text{S}$, 693
 CANESSA, E., GRIMSON, M. J., and SILBERT, M.: Theory of phase equilibria in polymer stabilized colloidal suspensions, 1153

- CANET, D., *see* Tekely, P.
- CARRINGTON, A., McNAB, I. R., MONTGOMERIE, C. A., and KENNEDY, R. A.: Electronic spectrum ($2p\sigma_u-1s\sigma_g$) of the D_2^+ ion, 711
- CAUSÀ, M., *see* Silvi, B.
- CELEBRE, G., DE LUCA, G., LONGERI, M., and EMSLEY, J. W.: The barrier to internal rotation in benzyl fluoride investigated using the N.M.R. spectra of samples dissolved in liquid crystalline solvents, 239
- CHAKRAVARTY, C., and CLARY, D. C.: Ion-dipole fragmentations, 1099
- CHAVE, A., *see* Barreau, A.
- CHEN, W.-H., RIECKHOFF, K. E., VOIGT, E.-M., and THEWALT, M. L. W.: Double fluorescence lifetimes of metal-free phthalocyanine in a mixed-solvent Shpol'skii matrix at 4.2 K, 1439
- CHIEUX, P., *see* Mittag, U.
- CHO, H., MUELLER, K. T., SHAKA, A. J., and PINES, A.: Frequency selective N.M.R. pulse sequences generated by iterative schemes with multiple fixed points, 505
- CICHOCKI, B., and FELDERHOF, B. U.: Electrostatic interactions in thin film Coulomb systems with periodic boundary conditions, 1373
- CINA, J. A., and SCHOFIELD, S. A.: Molecular excitations and the quantum adiabatic phase for a nuclear spin, 271
- CLARKE, S. M., *see* Bucknall, R. E.
- CLARY, D. C., *see* Chakravarty, C.
- CLIFFORD, P., *see* Green, N. J. B.
- CODDENS, G., *see* Guillaume, F.
- COLE, W. A., and WAKEHAM, W. A.: Application of thermodynamic perturbation theory to a hexadecapolar fluid, 1167
- DARCY, P., *see* Jones, P.
- DAVIES, P. B., *see* Bogey, M.
- DE BOER, E., *see* Gribnau, M. C. M.
- DE BOER, E., *see* Wang, D. M.
- DELIKATNY, E. J., and BURNELL, E. E.: Determination of the complete order matrix of the alpha methylene segment of potassium palmitate, 757
- DELIKATNY, E. J., and BURNELL, E. E.: Investigation of head group behaviour of lamellar liquid crystals. An experimental and statistical mechanical study of potassium palmitate/ D_2O , 775
- DELPUECH, J.-J., *see* Tekely, P.
- DE LUCA, G., *see* Celebre, G.
- DE LUCIA, F. C., *see* Willey, D. R.
- DEMUYNCK, C., *see* Bogey, M.
- DESTOMBES, J. L., *see* Bogey, M.
- DHAM, A. K., ALLNATT, A. R., MEATH, W. J., and AZIZ, R. A.: The Kr-Kr potential energy curve and related physical properties; the XC and HFD-B potential models, 1291
- DIANOUX, A. J., *see* Guillaume, F.
- D'INCAN, J., *see* Bernard, A.
- DORFMUELLER, TH., *see* Mittag, U.
- DOVESI, R., *see* Silvi, B.
- DROBNY, G., *see* Listerud, J.
- DUMON, B., *see* Barreau, A.
- EFFANTIN, C., *see* Bernard, A.
- EMSLEY, J. W., *see* Celebre, G.
- EMSLEY, J. W., LUCKHURST, G. R., and SACHDEV, H. S.: The orientational ordering of a biaxial solute in mixtures of nematic solvents, 151
- ENGELS, B., and PEYERIMHOFF, S. D.: The hyperfine coupling constants of the $X^3\Sigma^-$ states of NH. Influence of polarization functions and configuration space on the description of spin polarization, 583

- EVANS, D. J., LYNDEN-BELL, R. M., and MORRIS, G. P.: Steady-state structure and dynamics of a two-dimensional conducting fluid, 209
- EVANS, M. W.: Symmetry analysis of non-equilibrium time correlation functions, 1195
- FABRE, G., *see* Bernard, A.
- FAERMAN, C. H., *see* Nyburg, S. C.
- FELDERHOF, B. U., *see* Cichocki, B.
- FIGARI, G., *see* Magnasco, V.
- FILABOZZI, A., *see* Buontempo, U.
- FISCHER, J., *see* Wendland, M.
- FLAUD, J.-M., *see* Camy-Peyret, C.
- FLETCHER, D. A., *see* Burghardt, I.
- FORESTER, T. R., *see* Guldbrand, L. E.
- FOWLER, P. W., and BUCKINGHAM, A. D.: The magnetic hyperpolarizability anisotropy of some two-electron systems, 681
- FOWLER, P. W., TOLE, P., MUNN, R. W., and HURST, M.: Polarizability of the nitride ion in the lithium nitride crystal, 141
- FRENKEL, D., *see* Vega, C.
- FREY, J. G., *see* Bell, A. J.
- GALLHUBER, E., *see* Braun, D.
- GAN, Z.-H., and GRANT, D. M.: Pseudo-spin rotational resonance and homonuclear dipolar N.M.R. of rotating solids, 1419
- GIANTURCO, F. A., PATRIARCA, M., and RONCERO, O.: Resonant states and photodissociation cross sections in protonated rare gases. The NeH^+ and ArH^+ systems, 281
- GILQUIN, B., *see* Ser, S.
- GIUNTA, G.: Hard-sphere mixtures: geometrical thoughts, 1203
- GRAHAM, C., PIERRUS, J., and RAAB, R. E.: Measurement of the electric quadrupole moments of CO_2 , CO and N_2 , 939
- GRANT, D. M., *see* Gan, Z.-H.
- GREEN, N. J. B., PILLING, M. J., and CLIFFORD, P.: Approximate solution of the Debye-Smoluchowski equation for geminate ion recombination in solvents of low permittivity, 1085
- GRIBNAU, M. C. M., PIKKEMAAT, J. A., and DE BOER, E.: Magnetic properties of RbBp_2Ttg , 347
- GRIMSON, M. J., *see* Canessa, E.
- GUENSTER, St., *see* Mittag, U.
- GUILLAUME, F., CODDENS, G., DIANOUX, A. J., PETRY, W., REY-LAFON, M., and SOURISSEAU, C.: Molecular motions of decylammonium chains in the perovskite type layered compound $(\text{C}_{10}\text{H}_{21}\text{NH}_3)_2\text{MnCl}_4$. An incoherent neutron scattering study, 665
- GULDBRAND, L.: The distribution and dynamics of small ions in simulations of ordered polyelectrolyte solutions, 217
- GULDBRAND, L. E., FORESTER, T. R., and LYNDEN-BELL, R. M.: Distribution and dynamics of mobile ions in systems of ordered B-DNA, 473
- GUSTAFSSON, G., and SCULLMAN, R.: Rotational analysis of the $^2\Delta_{3/2}-X^2\Delta_{3/2}$ and $^2\Phi_{7/2}-X^2\Delta_{3/2}$ sub-systems of PtD, 981
- HALLE, B., *see* Linse, P.
- HANSEN, J.-P., *see* Kahl, G.
- HEINBUCH, U., *see* Wendland, M.
- HENSLER, G., *see* Braun, D.
- HILLS, B. P., TAKACS, S. F., and BELTON, P. S.: The effects of proteins on the proton N.M.R. transverse relaxation times of water. I. Native bovine serum albumin, 903
- HILLS, B. P., TAKACS, S. F., and BELTON, P. S.: The effects of proteins on the proton N.M.R. transverse relaxation times of water. II. Protein aggregation, 919

- HILLS, B. P., WRIGHT, K. M., and BELTON, P. S.: N.M.R. studies of water proton relaxation in Sephadex bead suspensions, 193
- HILLS, B. P., WRIGHT, K. M., and BELTON, P. S.: Proton N.M.R. studies of chemical and diffusive exchange in carbohydrate systems, 1309
- HOLLENSTEIN, H., *see* Nencini, L.
- HUIS, L., *see* Bastiaan, E. W.
- HURST, M., *see* Fowler, P. W.
- HÜTTNER, W., MAJER, W., and KÄSTLE, H.: Ground-state rotational spectrum and spectroscopic parameters of the gauche butane conformer, 131
- JEUNG, G. H.: Activation of CO_2 coordinated to a Ti atom, 747
- JOHNS, J. W. C., *see* Camy-Peyret, C.
- JONES, P., DARCY, P., ATTARD, G. S., JONES, W. J., and WILLIAMS, G.: Angular-dependent photoselection and anisotropy of optical absorption for photochromic molecules in glassy poly(methyl methacrylate), 1053
- JONES, W. J., *see* Jones, P.
- JUG, G.: Commensurate, incommensurate and rough surface phases in lipid multi-structures under applied shear, 1117
- JUNGEN, CH., *see* Larzillière, M.
- KAHL, G.: Analytic representation for the pair-correlation function of a hard-sphere Yukawa system, 879
- KAHL, G., and HANSEN, J.-P.: Structure and thermodynamics of dilute liquid multicomponent systems, 367
- KÄSTLE, H., *see* Hüttner, W.
- KENNEDY, R. A., *see* Carrington, A.
- KLEIN, M. L., *see* Ryckaert, K. P.
- KOZAK, A., and WILLIAMS, G.: Molecular origins of optical dichroism of glassy and mobile systems as prepared by angular-dependent photoselection, 1065
- KROMHOUT, R. A., *see* Linder, B.
- KUSALIK, P. G.: A comparison between computer simulation and theoretical results for fluids of dipolar soft spheres, 67
- LABÍK, S., and MALJUEVSKÝ, A.: Bridge function for hard spheres in high density and overlap regions, 431
- LADANYI, M., *see* Barreau, A.
- LADO-BORODOWSKY, O., *see* Perrin, A.
- LARHER, Y., *see* Ser, S.
- LARZILLIÈRE, M., and JUNGEN, CH.: Fast ion beam laser spectroscopy of N_2O^+ . Effects of orbital angular momentum and vibrational anharmonicity, 807
- LEE, J., *see* Zhu, S.-B.
- LEVINE, R. D., *see* Muga, J. G.
- LI, X., and ZHANG, Q.: A note on permutation symmetry in many-particle systems, 525
- LINDER, B., and KROMHOUT, R. A.: Effect of van der Waals interaction on Raman transitions. II, 1181
- LINSE, P., and HALLE, B.: Counterion N.M.R. in heterogeneous aqueous systems. A molecular dynamics simulation study of the electric field gradient, 537
- LIPUS, K., SIMON, U., BACHEM, E., NELIS, TH., and URBAN, W.: Direct observation of the fundamental vibration-rotation transitions within the $\text{NiD } X^2\Delta_{5/2}$ ground state by CO-Faraday-L.M.R. spectroscopy and zero field transitions in NiH , 1431
- LISTERUD, J., and DROBNY, G.: Symmetry and isotropic coherence transfer. I. Computations for two-spin systems, 97
- LONGER, M., *see* Celebre, G.
- LUCKHURST, G. R., *see* Emsley, J. W.
- LUPKOWSKI, M., and MONSON, P. A.: Phase diagrams of interaction site fluids. II. Dipolar diatomics, 53

- LUPKOWSKI, M., *see* McGuigan, D. B.
LUSTIG, R., *see* Toro-Labbé, A.
LYNDEN-BELL, R. M., *see* Evans, D. J.
LYNDEN-BELL, R., *see* Guldbrand, L. E.
- MCDONALD, I. R., *see* Ryckaert, K. P.
MCGUIGAN, D. B., LUPKOWSKI, M., PAQUET, D. M., and MONSON, P. A.: Phase diagrams of interaction site fluids. I. Homonuclear 12-6 diatomics, 33
MACHADO, F. B. C., and ORNELLAS, F. R.: A theoretical study of the BeF molecule in the $X^2\Sigma^+$ state, 1129
MACLEAN, C., *see* Bastiaan, E. W.
MCNAB, I. R., *see* Carrington, A.
MAGNASCO, V., and FIGARI, G.: A generalized multipole expansion for molecular interactions, 1261
MAJER, W., *see* Hüttner, W.
MALIJEVSKÝ, A., *see* Labík, S.
MASELLI, P., *see* Buontempo, U.
MASTERS, A. J., *see* Treloar, R. L.
MEATH, W. J., *see* Dham, A. K.
MEDEROS, L., *see* Tjipto-Margo, B.
MEZEI, M.: Excess free energy of different water models computed by Monte Carlo methods (erratum), 1205
MEZEI, M.: Grand-canonical ensemble Monte Carlo study of dense liquid Lennard-Jones, soft spheres and water (erratum), 1207
MITTAG, U., SAMIOS, J., DORFMUELLER, TH., GUENSTER, ST., ZEIDLER, M. D., and CHIEUX, P.: A comparative molecular dynamics and neutron scattering study of the liquid mixture carbon tetrachloride/carbon disulphide, 1141
MONSON, P. A., *see* Lupkowski, M.
MONSON, P. A., *see* McGuigan, D. B.
MONTGOMERIE, A., *see* Carrington, A.
MORRISS, G. P., *see* Evans, D. J.
MUELLER, K. T., *see* Cho, H.
MUGA, J. G., and LEVINE, R. D.: Dual ensemble and fluctuations for systems with random elements, 1209
MUGA, J. G., and LEVINE, R. D.: Spectral moments for systems described by an ensemble of hamiltonians, 1225
MUNN, R. W., *see* Fowler, P. W.
MURAD, S., and POWLES, J. G.: The pressure second virial coefficient for vibrating homonuclear diatomic molecules, 495
- NAKAI, T., ASHIDA, J., and TERAQ, T.: Influence of small-amplitude motions on two-dimensional N.M.R. powder patterns. Anisotropic vibrations in calcium formate, 839
NATANSON, G. A.: Wilson-Howard rotation-vibrational hamiltonian in the limiting case of a linear triatomic molecule, 173
NELIS, TH., *see* Lipus, K.
NENCINI, L., SNELS, M., HOLLENSTEIN, H., and QUACK, M.: High-resolution spectra and analysis of the hot bands of the ν_2 vibration of CF_3Cl ($\nu_2 + \nu_n - \nu_n$, $n = 3, 5, 6$), 989
NEUE, G., *see* Boddenberg, B.
NG, B., *see* Reid, M. F.
N'GOM, A., *see* Camy-Peyret, C.
NIEDZIELSKI, J., *see* Turulski, J.
NIKIEL, L., WRZALIK, R., and BRÓDKA, A.: Temperature and pressure study of Fermi resonance spectrum in liquid benzene- h_6 , 399
NYBURG, S. C., and FAERMAN, C. H.: The role of bonding electrons in intermolecular forces; solid acetylene, 447

- ONORI, G., *see* Petrillo, C.
ORNELLAS, F. R., *see* Machado, F. B. C.
- PAQUET, D. M., *see* McGuigan, D. B.
PARDON, P. R., *see* Bell, A. J.
PATEY, G. N., *see* Torrie, G. M.
PATRIARCA, M., *see* Gianturco, F. A.
PERERA, A., *see* Torrie, G. M.
PERRAM, J. W., *see* Petersen, H. G.
PERRIN, A., LADO-BORODOWSKY, O., and VALENTIN, A.: The v_3 and v_4 interacting bands of HNO_3 line positions and line intensities, 249
PETERSEN, H. G., and PERRAM, J. W.: Molecular dynamics of transputer arrays. I. Algorithm design, programming issues, timing experiments and scaling projections, 849
PETRILLO, C., ONORI, G., and SACCHETTI, F.: Hydration structure of ethanol water solution at low alcohol concentration, 697
PETRY, W., *see* Guillaume, F.
PEYERIMHOFF, D., *see* Engels, B.
PIERRUS, J., *see* Graham, C.
PIKKEMAAT, J. A., *see* Gribnau, M. C. M.
PILLING, M. J., *see* Green, N. J. B.
PINES, A., *see* Cho, H.
POWELL, B. M., *see* Bartell, L. S.
POWELL, B. M., *see* Torrie, B. H.
POWLES, J. G.: A model for atomic and molecular motion in liquids, 1021
POWLES, J. G., *see* Murad, S.
PYKKÖ, P.: *Ab initio* study of bonding trends among the 14-electron diatomic systems: from B_2^- to F_2^+ , 871
- QUACK, M., *see* Nencini, L.
- RAAB, R. E., *see* Graham, C.
RAMASWAMY, R., *see* Sinha, S.
RAMONDO, F., and BENCIVENNI, L.: *Ab initio* calculations on SO_2^- and the NaSO_2 charge transfer complex, 707
REID, M. F., and NG, B.: Complete second-order calculations of intensity parameters for one-photon and two-photon transitions of rare-earth ions in solids, 407
REY-LAFON, M., *see* Guillaume, F.
RICCI, M. A., RUOCO, G., and SAMPOLI, M.: Raman spectra of water in the translational and librational regions. III. Temperature evolution by computer simulation with the TIP4P potential, 19
RIECKHOFF, K. E., *see* Chen, W.-H.
ROBINSON, G. W., *see* Zhu, S.-B.
ROETTI, C., *see* Silvi, B.
RONCERO, O., *see* Gianturco, F. A.
RUOCO, G., *see* Ricci, M. A.
RYCKAERT, J. P., McDONALD, I. R., and KLEIN, M. L.: Disorder in the pseudohexagonal rotator phase of *n*-alkanes: molecular-dynamics calculations for tricosane, 957
- SACCHETTI, F., *see* Petrillo, C.
SACHDEV, H. S., *see* Emsley, J. W.
SALZMANN, S., *see* Wendland, M.
SAMIOS, J., *see* Mittag, U.
SAMPOLI, M., *see* Ricci, M. A.
SCHOFIELD, S. A., *see* Cina, J. A.
SCULLMAN, R., *see* Gustafsson, G.
SEARS, T. J., *see* Bogey, M.

- SEN, A. K., *see* Tjipto-Margo, B.
SER, S., LARHER, Y., and GILQUIN, B.: Multilayer adsorption of xenon and argon on graphite. Wetting behaviour, 1077
SHAKA, A. J., *see* Cho, H.
SHAPTON, R. A., *see* Bucknall, R. E.
SILBERT, M., *see* Canessa, E.
SILVI, B., CAUSÀ, M., DOVESI, R., and ROETTI, C.: Non-empirical pseudopotentials in the HF-LCAO approach to crystalline solids. Comparison to all-electron results, 891
SIMON, U., *see* Lipus, K.
SINHA, S., and RAMASWAMY, R.: Semiclassical quantization of resonant systems, 335
SNELS, M., *see* Nencini, L.
SOURISSEAU, C., *see* Guillaume, F.
STEELE, W. A., *see* Toro-Labbé, A.
STRINGAT, R., *see* Bernard, A.
SULLIVAN, D. E., *see* Tjipto-Margo, B.
- TAKACS, S. F., *see* Hills, B. P.
TEKELY, P., CANET, D., and DELPUECH, J.-J.: Observation of ^1H nuclei in heterogeneous solids via cross-polarization ^{13}C N.M.R., 81
TERAO, T., *see* Nakai, T.
THEWALT, M. L. W., *see* Chen, W.-H.
THIBEAU, M., *see* Barreau, A.
THOMAS, R. K., *see* Bucknall, R. E.
TIJPTO-MARGO, B., SEN, A. K., MEDEROS, L., and SULLIVAN, D. E.: The liquid-vapour interface of nematic liquid crystals, 601
TOLE, P., *see* Fowler, P. W.
TORO-LABBÉ, A., LUSTIG, R., and STEELE, W. A.: Specific heats for simple molecular fluids from molecular dynamics simulations, 1385
TORRIE, G. M., PERERA, A., and PATEY, G. N.: Reference hypernetted-chain theory for dipolar hard spheres at charged surfaces, 1337
TORRIE, B. H., WENG, S.-X., and POWELL, B. M.: Structure of the α -phase of solid methanol, 575
TRELOAR, R. L., and MASTERS, A. J.: Short-time rotational diffusion of spheres in suspension, 1273
TURULSKI, J., and NIEDZIELSKI, J.: How much do the ion-dipole capture rate constants obtained by transition state theory differ from those given by trajectory calculations?, 181
- URBAN, W., *see* Lipus, K.
- VALENTIN, A., *see* Perrin, A.
VAN AERT, A. H. J. M., *see* Wang, D. M.
VAN DER WAALS, J. H., *see* Barendswaard, W.
VAN DUINEVELDT, F. B., *see* Vos, R. J.
VAN LENTHE, J. H., *see* Vos, R. J.
VAN TOL, J., *see* Barendswaard, W.
VEGA, C., and FRENKEL, D.: Monte Carlo study of rod-like molecules. A test of perturbation theory for the Kihara model, 633
VOIGT, E.-M., *see* Chen, W.-H.
VOS, R. J., VAN DUINEVELDT, F. B., and VAN LENTHE, J. H.: Balance in interaction energy calculations. Counterpoise procedure in configuration space for the ICF method applied to the He-dimer, 1011
- WAKEHAM, W. A., *see* Cole, W. A.
WALES, D. J.: Hybridization schemes for clusters, 303

- WANG, D. M., VAN AERT, A. H. J. M., and DE BOER, E.: An E.P.R. study of Cr^{3+} in $\text{C}_6\text{H}_4 \cdot \text{COOH} \cdot \text{COOH}$, 799
- WEBER, R. T., *see* Barendswaard, W.
- WENDLAND, M., SALZMANN, S., HEINBUCH, U., and FISCHER, J.: Born-Green-Yvon results for adsorption of a simple fluid on plane walls. Structure, adsorption isotherms, and surface area determination, 161
- WENG, S.-X., *see* Torrie, B. H.
- WILLEY, D. R., BITTNER, D. N., and DE LUCIA, F. C.: Collisional cooling of the NO-He system. The pressure broadening cross sections between 4.3 and 1.8 K, 455
- WILLIAMS, G., *see* Jones, P.
- WILLIAMS, G., *see* Kozak, A.
- WOKAUN, A., *see* Barnickel, P.
- WRIGHT, K. M., *see* Hills, B. P.
- WRZALIK, R., *see* Nikiel, L.
- YERSIN, H., *see* Braun, D.
- ZEIDLER, M. D., *see* Mittag, U.
- ZHANG, X., *see* Li, Q.
- ZHU, S.-B., LEE, J., and ROBINSON, G. W.: Structure and properties of liquid carbon disulphide near extended surfaces, 321
- ZINK, L. R., *see* Burghardt, I.

